

SOLaTM

IDTECH[®]
Value through Innovation

IDTech
VP6800
Datasheet






VP6800

ALL-IN-ONE UNATTENDED PAYMENT DEVICE

KEY FEATURES:



- PCI PTS 5.X certified
- PIN on glass support
- 4.3" digital display
- Optional camera available for security or barcodes
- Supports remote key injection
- Common L2 contact kernel; EMV L1 contact & contactless



VP6800 SPECS

CAMERA	256 x 256 Resolution
DIMENSIONS	138mm (L) x 95mm (W) x 51mm (D)
DISPLAY	4.3 Inch Color-Screen Brightness: Up to 900 Nits
DURABILITY	Weatherproof UV Rated Plastic
IMPACT RATING	IK 08
INTERFACE	Ethernet BLE / WiFi, RS232 & USB
MEMORY	136MB Flash; 32MB RAM
OPERATING TEMPERATURE	-25°C to 70°C
POWER	5V +/- 10%
STORAGE TEMPERATURE	-40°C to 80°C
VIDEO QUALITY	480 x 272 Resolution
WEATHER RATING	IP 65
WEIGHT	450g



CORPORATE HEADQUARTERS

10721 WALKER STREET
CYPRESS, CA 90630
T: (714) 761-6368
TF: (800) 984-1010
F: (714) 761-8880
SALES@IDTECHPRODUCTS.COM

ASIA

+886-3-326-5988 (TAIWAN)
ASIA@IDTECHPRODUCTS.COM

LATIN AMERICA

(714) 761-6368
SALES@IDTECHPRODUCTS.COM

EUROPE, MIDDLE EAST & AFRICA

EMEA@IDTECHPRODUCTS.COM

ISO 9001 CERTIFIED
ISO 14001 CERTIFIED

IDTECH® **SOLA**™
Value through Innovation

IDTECHPRODUCTS.COM

